




EGLO
my light | my style



2023/24

CEILING FANS



CONTENTS	p. 002
CEILING FAN COLLECTION OVERVIEW	p. 004
WHY CHOOSE EGLO FANS	p. 006
SUMMER & WINTER BENEFITS	p. 008
SIZING TO SUIT YOUR ROOM	p. 009
CEILING FANS	p. 010
EXHAUST/HEAT/LIGHT	p. 148
INDEX & LEGEND	p. 156

AIR MOVEMENT COLLECTION CONTENTS

NEW



SURF 48

p. 10 - 13

NEW



SURF 52

p. 14 - 17

NEW



SURF 60

p. 18 - 21

NEW



SURF 48 TIMBER

p. 22 - 25



SURF 52 TIMBER

p. 26 - 29



SURF 60 TIMBER

p. 30 - 33



STRADBROKE 48

p. 34 - 39



STRADBROKE 52

p. 40 - 45



BONDI 48

p. 46 - 49



BONDI 52

p. 50 - 53



TORQUAY 42

p. 54 - 57



TORQUAY 48

p. 58 - 61



TORQUAY 56

p. 62 - 65



NOOSA 40

p. 66 - 69



NOOSA 46

p. 70 - 73



NOOSA 52

p. 74 - 77



NOOSA 60

p. 78 - 81



NOOSA 52 TIMBER

p. 82 - 85



NOOSA 60 TIMBER

p. 86 - 89



CABARITA

p. 90 - 93



ILUKA 52
p. 94 - 97



ILUKA 60
p. 98 - 101



ILUKA 52 - HUGGER
p. 102 - 105



ILUKA 60 - HUGGER
p. 106 - 109



SEACLIFF 44
p. 110 - 117



SEACLIFF 52
p. 118 - 125



WAIKIKI
p. 126 - 129



WAIKIKI LIGHT KITS
p. 130 - 131



TOURBILLION 60
p. 132 - 135



TOURBILLION 80
p. 136 - 139



TOURBILLION LIGHT KITS
p. 140 - 141



AC REMOTE KITS
p. 142



SMART KITS
p. 143



ANGLE CANOPIES
p. 144 - 145



DOWNRODS
p. 146 - 147



VESUVIUS
p. 150 - 151



HEATFLOW
p. 152 - 153



INFERNO
p. 154 - 155

CEILING FAN COLLECTION OVERVIEW

MODEL	PAGE	AC/DC	HOUSING	BLADE	LOCATION	CONTROL
BONDI	P. 46 -53	AC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Wall Control Remote Accessory Smart Compatible
CABARITA	P. 90 - 93	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control
ILUKA	P. 94 - 109	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control
NOOSA	P. 66 - 89	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible
SEACLIFF	P. 110 - 125	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control
STRADBROKE	P. 34 - 45	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control
SURF	P. 10 - 33	DC	UV Resistant ABS	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible
TORQUAY	P. 54 - 65	DC	Steel	UV Resistant ABS	Indoor / Outdoor Covered Area*	Remote Control
TOURBILLION	P. 132 - 141	DC	Steel	Aluminium	Indoor / Outdoor Covered Area*	Remote Control Smart Compatible
WAIKIKI	P. 126 - 131	AC	Steel	Plywood	Indoor	Wall Control / Pull Cord / Remote Accessory

*Fan must be installed in appropriately covered outdoor locations where the fan is fully undercover, and a minimum of 1.5m distance from the edge of the blades to the edge of the roof. This fan is not waterproof. In some more tropical areas of Australia, it is suggested you increase the distance from the fan to the edge of the roof for maximum protection.

LIGHT OPTION	SIZE										FINISH
	40"	42"	44"	46"	48"	50"	52"	56"	60"	80"	
20W Tri-colour LED Step Dimmable					✓		✓				
No Light Option						✓					
20W Tri-colour LED Dimmable							✓		✓		
18W Tri-colour LED Dimmable	✓			✓			✓		✓		
20W Tri-colour LED Dimmable			✓				✓				
20W Tri-colour LED (Step Dim) 2x E27 (Not Dimmable)					✓		✓				
20W Tri-colour LED Dimmable					✓		✓		✓		
20W Tri-colour LED Step Dimmable		✓			✓			✓			
18W LED Light Accessory Tri-colour Step Dimmable									✓	✓	
3x E27 Light Accessory							✓				

WHY CHOOSE EGLO FANS?



Energy Savings

EGLO ceiling fans are more than just stylish additions to your home, they are also an environmentally friendly way to save money and energy.

Our fans allow for more sustainable electricity usage, by working with existing air conditioning to not only reduce energy and environmental impact, but also to save on money on your electricity bill.



Reliability

All EGLO fans are manufactured to provide years of reliable and dependable operation, every day, year after year.



High Quality

EGLO's vigorous in-house testing and quality control ensure reliable quality and superior performance.



High Performance

Manufactured using only the highest quality materials and components to ensure maximum performance.




Whisper Quiet

EGLO fans are whisper quiet. This makes them ideal for bedrooms and shared areas where you are wanting to minimise sound.

SUMMER & WINTER BENEFITS




Makes a room feel **up to 5 degrees cooler.**



Though a ceiling fan does not actually lower the room temperature, it provides a downward airflow which can make it feel up to 5 degrees cooler. When used in conjunction with air conditioning in summer months, this will allow you to raise the temperature of your air conditioner by up to 2.2°C, yet keeping it just as cool.



Redistribute warm air to increase comfort.




In reverse mode our fans gently draw warmer air down from ceiling level and balance the room temperature. For winter months, this means you can lower your thermostat setting on other heating appliances within the room, saving energy and reducing your heating costs by as much as 10%. *

SIZING TO SUIT YOUR ROOM



An appropriately sized fan not only needs to provide maximum energy efficiency, but also needs to look proportioned and balanced to the size of the room. Sometimes selecting a slightly larger fan which will achieve the same airflow on a lower speed as a smaller fan on high speed, will result in quieter and more energy efficient operation.

Measure the room to assist with choosing a fan size from this table, keeping in mind for very large rooms, multiple fans may be a more effective option.



Room Size (m ²)	Fan Size (Inches)	Fan Size (cm)
< 7 m ²	27" – 35"	70 cm – 90 cm
7 m ² – 13 m ²	35" – 39"	90 cm – 100 cm
13 m ² – 20 m ²	39" – 44"	100 cm – 112 cm
20 m ² – 27 m ²	44" – 53"	112 cm – 137 cm
27 m ² – 34 m ²	> 53"	>137 cm



SURF

DC ceiling fan in white matt finish.



SURF 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20549601

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20549602

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130 m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8 h



Use




Quick connect



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY

3 YEAR
IN-HOME WARRANTY

20549701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20549702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,130 m³/h



6 speed



20°



Construct



20W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in black matt finish with tri-colour LED light.



SURF

DC ceiling fan in white matt finish.

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20549801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20549802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



13,743 m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8 h



Use




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY



20549901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20549902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



22 W



13,743 m³/h



6 speed



20°



Construct



20W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743


Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in black matt finish with tri-colour LED light.





SURF

DC ceiling fan in black matt finish.

SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20550101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20550102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14,194 m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8



Use




Quick connect



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY

3 YEAR
IN-HOME WARRANTY



20550201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20550202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



40 W



14194 m³/h



6 speed



20°



Construct



20W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in white matt finish with tri-colour LED light.



SURF

Dc ceiling fan in white matt and oak finish.

SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20549616

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20549617

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13130 m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8 h



Use




Quick connect



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF TIMBER 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY

3 YEAR
IN-HOME WARRANTY



20549716

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20549717

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13130 m³/h



6 speed



20°



Construct



20W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	297	11.7
C	297	11.7
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night	75	3,614
1	95	4,954
2	125	7,498
3	155	9,702
4	185	11,102
5	210	13,130

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in black matt and burmese teak finish with tri-colour LED light.



SURF

DC ceiling fan in black matt and burmese teak finish.

SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20549816

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20549817

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13743 m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8 h



Use




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20549916

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20549917

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



13743 m³/h



6 speed



20°



Construct



18W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	75	3,746
1	90	5,038
2	125	7,730
3	155	9,702
4	185	11,323
5	205	13,743


Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in white matt and oak finish with tri-colour LED light.





SURF

Dc ceiling fan in white matt and oak finish.

SURF TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20550116

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20550117

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14194
m³/h



6 speed



20°



Construct



Mode



30min/
1/2/4/8



Use




Quick
connect



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	295	11.6
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

SURF TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20550216

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, oak



Included



20550217

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, burmese teak



40 W



14194
m³/h



6 speed



20°



Construct



20W



2000lm



Dimmable




2/8 h



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	309	12.2
C	309	12.2
D	158	6.2
E	73	2.9

Airflow

Speed	RPM	m ³ /h
night mode	70	4,012
1	85	5,556
2	115	7,911
3	145	10,519
4	170	12,588
5	195	14,194

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SURF

DC ceiling fan in black matt and burmese teak finish with tri-colour LED light.



STRADBROKE

DC ceiling fan in white matt finish.



STRADBROKE 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20491401

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20491402

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491404

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510 m³/h



6 speed



15°



Construct



30min/
1/2/4/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

STRADBROKE 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20490901

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20490902

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20490904

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510
m³/h



15°



6 speed



Construct



2x 7W E27
(not inc)



Not
dimmable



1/2/4/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	378	14.9
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



STRADBROKE

DC ceiling fan in titanium finish with 2x E27 light.



STRADBROKE 48

Ø 48" / 1220 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20491601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20491602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491604

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,510 m³/h



15°



6 speed



Construct



20W



2300lm



Step dim



1/2/4/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,250
1	110	4,350
2	142	5,610
3	175	7,500
4	210	8,740
5	250	10,510

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



STRADBROKE

DC ceiling fan in black matt finish with tri-colour LED light.





STRADBROKE

DC ceiling fan in black matt finish.

RECOMMENDED
CHOICE
2021

RECOMMENDED
CHOICE
2022

STRADBROKE 52

Ø 52" / 1320 mm



6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20491501

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20491502

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491504

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,820
m³/h



6 speed



15°



Construct



30min/
1/2/4/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

STRADBROKE 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20491201

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20491202

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491204

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,820 m³/h



15°



6 speed



Construct



2x 7W E27 (not inc)



Not dimmable



1/2/4/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	378	14.9
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



STRADBROKE

DC ceiling fan in white matt finish with 2x E27 light.



STRADBROKE 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20491701

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



20491702

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20491704

Housing

steel, titanium

Blades

ABS, UV Resistant, titanium



28 W



10,820
m³/h



15°



6 speed



Construct



20W



2300lm



Step
dim



1/2/4/8 h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	318	12.5
C	297	11.7
D	142	5.6
E	55.7	2.2

Airflow

Speed	RPM	m ³ /h
night mode	65	2,625
1	95	4,500
2	125	5,815
3	155	7,880
4	185	9,110
5	220	10,820

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



STRADBROKE


DC ceiling fan in titanium finish with tri-colour LED light.





BONDI

AC ceiling fan in white matt finish.



BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



203619

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



203621

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204739

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56W



13,390
m³/h



15°



Construct



Use



Quick
connect



Control




Adaptable



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	Yes	Page 142

BONDI 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



203622

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



203623

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204741

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



56W



13,390
m³/h



15°



Construct



20W



1750lm/
2100lm/
2000lm



Step
dim



Use



Control




Adaptable



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	90	4,152
2	160	9,809
3	235	13,390


Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	Yes	Page 142



BONDI


AC ceiling fan in black matt finish with tri-colour LED light.





BONDI

AC ceiling fan in black matt finish.



BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



203624

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



203625

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204742

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60W



13,303
m³/h



15°



Construct



Use



Quick
connect



Control




Adaptable



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.2
D	150	5.9
E	58	2.3

Airflow

Speed	RPM	m ³ /h
1	95	5,103
2	150	9,364
3	205	13,303

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	Yes	Page 142

BONDI 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



203626

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



203627

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204743

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



60W



13,303
m³/h



15°



Construct



20W



1750lm/
2100lm/
2000lm



Step
dim



Use



Control




Adaptable



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.2
D	150	5.9
E	58	2.3

Airflow


Speed	RPM	m ³ /h
1	95	5,103
2	150	9,364
3	205	13,303

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	Yes	Page 142

BONDI

AC ceiling fan in titanium finish with tri-colour LED light.





TORQUAY

DC ceiling fan in white matt finish.



TORQUAY 42

Ø 42" / 1070 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20522501

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included

20522502

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522512

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



13 W



8,665
m³/h



6 speed



13°



Construct



30min/
1/2/4/8h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1070	42.0
B	286	11.3
C	294	11.6
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	70	2,285
1	110	3,933
2	145	5,400
3	175	6,307
4	205	7,493
5	230	8,665

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

TORQUAY 42

Ø 42" / 1070 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20522601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



20522602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt

20522612

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



13 W



8,665 m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1070	42.0
B	316	12.4
C	294	11.6
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	70	2,285
1	110	3,933
2	145	5,400
3	175	6,307
4	205	7,493
5	230	8,665

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



TORQYAY

DC ceiling fan in black matt finish with tri-colour LED light.





TORQUAY

DC ceiling fan in oil rubbed bronze and koa finish.



TORQUAY 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20522701

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included

20522702

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522712

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



33 W



12,091 m³/h



6 speed



13°



Construct



30min/
1/2/4/8 h



Quick connect




Use



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

TORQUAY 48

Ø 48" / 1220 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20522801

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included

20522802

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt

20522812

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



33 W



12,091 m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	60	2,782
1	90	4,619
2	115	6,055
3	160	8,613
4	195	10,537
5	225	12,091

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



TORQUAY

DC ceiling fan in white matt finish with tri-colour LED light.





TORQUAY

DC ceiling fan in black matt finish.



TORQUAY 56

Ø 56" / 1422mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20522901

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included

20522902

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



20522912

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



35 W



12,961
m³/h



6 speed



13°



Construct



30min/
1/2/4/8 h



Quick
connect




Use



Reversible

Dimensions



	mm	inches
A	1422	56.0
B	284	11.3
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

TORQUAY 56

Ø 56" / 1422mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



20523101

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included

20523102

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt

20523112

Housing

steel, oil rubbed bronze

Blades

ABS, UV Resistant, koa



35 W



12,961 m³/h



6 speed



13°



Construct



20W



2100lm/
2300lm/
2200lm



Step dim



1/2/4/8 h




Use



Reversible

Dimensions



	mm	inches
A	1422	56.0
B	316	12.4
C	290	11.4
D	155	6.1
E	60	2.3

Airflow

Speed	RPM	m ³ /h
night mode	59	3,325
1	75	4,659
2	115	7,294
3	145	9,224
4	175	11,153
5	200	12,961

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

TORQUAY

DC ceiling fan in oil rubbed bronze and koa finish with tri-colour LED light.





NOOSA

DC ceiling fan in black matt finish.



NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



204781

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

204782

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204783

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



15,650 m³/h



6 speed



8°



Construct



Quick connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA 40

Ø 40" / 1016 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



204787

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

204788

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204789

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



15,650 m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8h




Use



Reversible

Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	2,410
1	100	4,830
2	133	6,380
3	168	9,080
4	205	12,200
5	250	15,650

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



NOOSA

DC ceiling fan in titanium finish with tri-colour LED light.





NOOSA

DC ceiling fan in white matt finish.



NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



204794

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

204795

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204796

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



14,620 m³/h



6 speed



8°



Construct



Quick connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA 46

Ø 46" / 1168 mm

6 YEAR
PRODUCT WARRANTY



204801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

204802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204803

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



14,620 m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8h




Use



Reversible

Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	62	3,230
1	89	5,780
2	110	7,390
3	140	9,530
4	167	11,420
5	200	14,620

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA

DC ceiling fan in black matt finish with tri-colour LED light.





NOOSA

DC ceiling fan in white matt finish.



NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



203371

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



203369

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204746

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



24 W



13,280
m³/h



6 speed



8°



Construct



Quick
connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



202971

[Housing](#)

ABS, UV Resistant, white matt

[Blades](#)

ABS, UV Resistant, white matt



included



202969

[Housing](#)

ABS, UV Resistant, black matt

[Blades](#)

ABS, UV Resistant, black matt



204747

[Housing](#)

ABS, UV Resistant, titanium

[Blades](#)

ABS, UV Resistant, titanium



24 W



13,280 m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



NOOSA

DC ceiling fan in black matt finish with tri-colour LED light.





NOOSA

DC ceiling fan in titanium finish.



NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



203373

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



203372

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

204748

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14,346 m³/h



6 speed



8°



Construct



Quick connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories

	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY



202973

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

202972

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



204749

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14,346
m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA

DC ceiling fan in white matt finish with tri-colour LED light.



NOOSA

DC ceiling fan in white matt and bamboo finish.



NOOSA TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



204112

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



204113

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204114

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



24 W



13,280
m³/h



6 speed



8°



Construct



Quick
connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA TIMBER 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



204115

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



204116

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204117

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



24 W



13,280 m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,243
1	101	5,794
2	121	7,420
3	141	9,262
4	160	10,847
5	190	13,280


Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA

DC ceiling fan in black matt and teak finish with tri-colour LED light.





NOOSA

DC ceiling fan in black matt and aged elm finish.



NOOSA TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



204227

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



204228

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204229

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



38 W



14,346 m³/h



6 speed



8°



Construct



Quick connect



1/2/4/8 h



Mode




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

NOOSA TIMBER 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY

3 YEAR
IN-HOME WARRANTY



204231

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



204232

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak

204233

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



38 W



14,346
m³/h



6 speed



8°



Construct



18W



2000lm



Dimmable



2/8 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	295	11.6
C	285	11.2
D	170	6.7
E	50	2.0

Airflow

Speed	RPM	m ³ /h
night mode	60	3,591
1	90	6,032
2	111	7,638
3	131	9,526
4	150	10,957
5	178	14,346

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



NOOSA

DC ceiling fan in white matt and bamboo finish with tri-colour LED light.





CABARITA

DC ceiling fan in white matt finish.

CABARITA

Ø 50" / 1270 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

204351

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



Included

204352

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



35 W



10,080 m³/h



6 speed



13°



Construct



1/4/8 h



Mode




Quick connect



Reversible

Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.8
D	164	6.4
E	90	3.5

Airflow

Speed	RPM	m ³ /h
1	78	2,520
2	102	3,840
3	118	5,290
4	137	6,170
5	160	7,920
6	174	10,080

Optional accessories

	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

CABARITA

DC ceiling fan in white matt and bamboo finish.



CABARITA

Ø 50" / 1270 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

204353

Housing

steel, white matt

Blades

ABS, UV Resistant, bamboo



Included

204354

Housing

steel, black matt

Blades

ABS, UV Resistant, koa



35 W



10,080
m³/h



6 speed



13°



Construct



1/4/8 h



Mode




Quick
connect



Reversible

Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.8
D	164	6.4
E	90	3.5

Airflow

Speed	RPM	m ³ /h
1	78	2,520
2	102	3,840
3	118	5,290
4	137	6,170
5	160	7,920
6	174	10,080

Optional accessories

	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



ILUKA

DC ceiling fan in white matt finish.



ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20537701

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20537702

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

20537715

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



13°



Construct



Quick
connect



1/2/4/6/8 h




Use



Reversible

Dimension



	mm	inches
A	1320	52.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

20537801

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20537802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537815

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640 m³/h



6 speed



13°



Construct



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



ILUKA

DC ceiling fan in black matt finish with tunable white LED light.



ILUKA

DC ceiling fan in black matt and rustic timber finish.



ILUKA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20537901

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20537902

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20537915

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



13°



Construct



Quick
connect



1/2/4/6/8 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	320	12.6
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A

ILUKA 60

Ø 60" / 1520 mm

6 | **3**
YEAR PRODUCT | YEAR IN-HOME
WARRANTY

20538101

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20538102

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538115

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



13°



Construct



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	338	13.3
C	300	11.8
D	152	6.0
E	66	2.6

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



ILUKA

DC ceiling fan in black matt and rustic timber finish with tunable white LED light.





ILUKA HUGGER

DC low profile ceiling fan in black matt finish.



ILUKA 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

20538201

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20538202

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538215

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640
m³/h



6 speed



Construct



Suitability



Quick
connect




1/2/4/6/8 h



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A

ILUKA 52

Ø 52" / 1320 mm



20538301

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20538302

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538315

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



40 W



12,640 m³/h



6 speed



Construct



Suitability



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	70	2,894
2	105	4,860
3	140	6,690
4	170	8,740
5	200	10,100
6	230	12,640

Optional accessories Compatible Page

Extension Rods No N/A

Smart Compatible No N/A

Angle Canopy No N/A

Compatible Page

Light Kit No N/A

Remote Kit No N/A

ILUKA HUGGER

DC low profile ceiling fan in white matt finish with tunable white LED light.





ILUKA HUGGER

DC low profile ceiling fan in black matt finish.



ILUKA 60

Ø 60" / 1520 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20538401

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20538402

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538415

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089
m³/h



6 speed



Construct



Suitability



Quick
connect




1/2/4/6/8 h



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	235	9.3
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A

ILUKA 60

Ø 60" / 1520 mm



20538501

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



Included



20538502

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



20538515

Housing

ABS, UV resistant, black matt

Blades

ABS, UV resistant, rustic timber finish



45 W



16,089 m³/h



6 speed



Construct



Suitability



20W



2500lm



Dimmable



1/4 h




Use



Reversible

Dimensions



	mm	inches
A	1520	60.0
B	252	9.9
C	215	8.4
D	180	7.1

Airflow

Speed	RPM	m ³ /h
1	62	3,476
2	85	6,462
3	115	8,715
4	145	10,957
5	170	13,243
6	195	16,089

Optional accessories	Compatible	Page
Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



ILUKA HUGGER

DC low profile ceiling fan in black matt and rustic timber finish with tunable white LED light.





SEACLIFF

DC low profile ceiling fan in white matt finish.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY



20523401

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



Included



20523402

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



16 W



9,270 m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A

SEACLIFF

DC low profile ceiling fan in white black matt and light walnut finish.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20523405

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



Included



20523406

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



16 W



9,270 m³/h



6 speed



Construct



Suitability



30min/
1/2/4/h




Quick connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A

SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20523601

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



Included



20523602

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



16 W



9,270 m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A



SEACLIFF

DC low profile ceiling fan in black matt finish with tri-colour LED light.



SEACLIFF 44

Ø 44" / 1120 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20523605

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



Included



20523606

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, light walnut finish



16 W



9,270 m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1120	44.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,093
1	100	3,684
2	130	4,940
3	160	6,651
4	190	7,903
5	250	9,270

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A



SEACLIFF

DC low profile ceiling fan in white matt and gessami oak finish with tri-colour LED light.



SEACLIFF

DC low profile ceiling fan in white matt finish.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20523501

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



Included



20523502

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



28 W



11,895 m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A



SEACLIFF

DC low profile ceiling fan in black matt and light walnut finish.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY



20523505

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



Included



20523506

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



28 W



11,895
m³/h



6 speed



Construct



Suitability



30min/
1/2/4/8h




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	234	9.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A

SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY



20523701

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



Included



20523702

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



28 W



11,895 m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories	Compatible	Page
Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

	Compatible	Page
Light Kit	No	N/A
Remote Kit	No	N/A



SEACLIFF

DC low profile ceiling fan in black matt finish with tri-colour LED light.



SEACLIFF 52

Ø 52" / 1320 mm

6 YEAR PRODUCT WARRANTY
3 YEAR IN-HOME WARRANTY



20523705

Housing

steel, white matt

Blades

ABS, UV Resistant, gessami oak finish



Included



20523706

Housing

steel, black matt

Blades

ABS, UV Resistant, light walnut finish



28 W



11,895 m³/h



6 speed



Construct



Suitability



15W



1750lm



Dimmable



2/8 h




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	258	10.2
C	229	9.0
D	189	7.4

Airflow

Speed	RPM	m ³ /h
night mode	70	2,591
1	100	4,506
2	130	7,196
3	160	8,730
4	190	9,574
5	235	11,895

Optional accessories Compatible Page

Extension Rods	No	N/A
Smart Compatible	No	N/A
Angle Canopy	No	N/A

Compatible Page

Light Kit	No	N/A
Remote Kit	No	N/A



SEACLIFF

DC low profile ceiling fan in white matt and gessami oak finish with tri-colour LED light.





WAIKIKI

AC ceiling fan in black matt finish.



WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20518101

Housing

steel, white matt

Blades

plywood, white matt



Included

20518102

Housing

steel, black matt

Blades

plywood, black matt



62 W



9,830 m³/h



13°



Control



Control



Adaptable




Quick connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	Yes	Page 130
Remote Kit	Yes	Page 142



WAIKIKI

AC ceiling fan in brass matt and white matt finish.

WAIKIKI

Ø 52" / 1320 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

20518111

Housing

steel, brass matt

Blades

plywood, white matt



Included



20518109

Housing

steel, antique bronze

Blades

plywood, walnut



20518108

Housing

steel, satin nickel

Blades

plywood, washed oak



62 W



9,830
m³/h



13°



Control



Control



Adaptable




Quick
connect



Reversible

Dimensions



	mm	inches
A	1320	52.0
B	335	13.2
C	274	10.8
D	130	5.1
E	61	2.4

Airflow

Speed	RPM	m ³ /h
1	70	2,530
2	120	6,250
3	180	9,830

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	No	N/A
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	Yes	Page 130
Remote Kit	Yes	Page 142

WAIKIKI LIGHT KIT

2
YEAR
WARRANTY



20518401
steel, white matt
glass, frosted



20518402
steel, black matt
glass, frosted



20518408
steel, satin nickel
glass, frosted



20518409
steel, antique bronze
glass, frosted

Dimensions



	mm	inches
A	374	14.7
B	161	6.3



20518411
steel, brass matt
glass, frosted

max.
3x40W



max. 3x E27
3 x 40W (not included)



LIGHT KIT

Waikiki light kit installed on an antique bronze Waikiki ceiling fan.





TOURBILLION

DC ceiling fan in black matt finish.

TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

203367

Housing

steel, white matt

Blades

aluminium, white matt



202964

Housing

steel, black matt

Blades

aluminium, black matt



Included



Includes 200mm & 600mm downrods (colour to suit)



47 W



16,220 m³/h



5 speed



Adaptable



1/2/4/8 h



Quick connect




Use



Reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Optional accessories

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

Optional accessories

Optional accessories	Compatible	Page
Light Kit	Yes	Page 140
Remote Kit	No	N/A



TOURBILLION

DC ceiling fan in oil rubbed bronze finish.



TOURBILLION 60

Ø 60" / 1524 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME
WARRANTY

206183

Housing

steel, oil rubbed bronze

Blades

aluminium, oil rubbed bronze



Included



Includes 200mm & 600mm downrods (colour to suit)

204807

Housing

steel, titanium

Blades

aluminium, titanium



47 W



16,220 m³/h



5 speed



Adaptable



1/2/4/8 h



Quick connect




Use



Reversible

Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	7,180
2	84	9,500
3	104	12,050
4	125	14,175
5	143	16,220

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	Yes	Page 140
Remote Kit	No	N/A



TOURBILLION

DC ceiling fan in white matt finish.

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT WARRANTY
3 YEAR
IN-HOME WARRANTY

203368

Housing

steel, white matt

Blades

aluminium, white matt



Included



Includes 200mm & 600mm downrods (colour to suit)

202966

Housing

steel, black matt

Blades

aluminium, black matt



58 W



21,270 m³/h



5 speed



Adaptable



1/2/4/8 h



Quick connect




Use



Reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	Yes	Page 140
Remote Kit	No	N/A



TOURBILLION

DC ceiling fan in titanium finish.

TOURBILLION 80

Ø 80" / 2032 mm

6 YEAR
PRODUCT IN-HOME
WARRANTY

206184

Housing

steel, oil rubbed bronze

Blades

aluminium, oil rubbed bronze



Included



Includes 200mm & 600mm downrods (colour to suit)

204808

Housing

steel, titanium

Blades

aluminium, titanium



58 W



21,270 m³/h



5 speed



Adaptable



1/2/4/8 h



Quick connect




Use



Reversible

Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.1
D	150	5.9
E	54	2.1

Airflow

Speed	RPM	m ³ /h
1	65	14,650
2	75	17,130
3	84	19,655
4	89	20,720
5	95	21,270

Optional accessories	Compatible	Page
Extension Rods	Yes	Page 146
Smart Compatible	Yes	Page 143
Angle Canopy	Yes	Page 144

	Compatible	Page
Light Kit	Yes	Page 140
Remote Kit	No	N/A

TOURBILLION LIGHT KIT

5
YEAR
WARRANTY



TRI
COLOUR
2150lm

205564
steel, white matt / acrylic, opal



TRI
COLOUR
2150lm

205563
steel, black matt / acrylic, opal



TRI
COLOUR
2150lm

205565
steel, titanium / acrylic, opal



TRI
COLOUR
2150lm

206185
steel, oil rubbed bronze / acrylic, opal

Dimensions



	mm	inches
A	225	8.9
B	65	2.6

LED

18W

STEP
DIMMING

Step
dim

REPLACEABLE
LED

Replaceable
LED

QUICK
CONNECT

Quick
connect



LIGHT KIT

Tourbillion LED light kit installed on a black matt Tourbillion ceiling fan.

AC REMOTE KITS

1
YEAR
WARRANTY



205127

Remote Kit

Suits all Bondi ceiling fans

SPEED	BONDI 48	BONDI 52
1	2,390 m ³ /h	2,542 m ³ /h
2	8,058 m ³ /h	7,125 m ³ /h
3	10,140 m ³ /h	9,145 m ³ /h
4	13,390 m ³ /h	14,259 m ³ /h



205222

Remote Kit

Suits all Waikiki ceiling fans

SPEED	WAIKIKI
1	2,535 m ³ /h
2	4,160 m ³ /h
3	7,295 m ³ /h
4	9,832 m ³ /h

Remote kits includes:



Remote control
Wall holder
Receiver

Air movement volumes above will supercede quoted air movements on Waikiki and Bondi fan packaging, ie. compared to what they would be with the included wall control. The lowest speed allows for a slower "night mode". This is due to a change in speed capacitor within the receiver.



Batteries
Included



QUICK
CONNECT



TIMER

2/4/8h



WALL HOLDER
INCLUDED

SMART KITS

1
YEAR
WARRANTY



Turn any of the EGLO Bondi, Noosa, Tourbillion and Surf ceiling fan ranges into a smart fan, with the addition of an EGLO my control smart receiver unit (Noosa and Tourbillion ranges), smart remote kit (Bondi range), or smart USB module (Surf range). This allows you to pair the fan with the EGLO my control app, and easily control it from your smart device (smart device not included).



Benefits

- Turn your fan or fan light on / off
- Adjust your fan speeds
- Set timers and schedules
- Control your fan from anywhere in the world
- Controllable via intelligent voice assistants such as Google Home, Amazon Echo & Siri



SMART REMOTE KIT

FAN RANGE

COMPATIBLE MODELS

205487

Bondi

my control smart remote kit - suits all Bondi models

SMART RECEIVER

FAN RANGE

COMPATIBLE MODELS

205481

Noosa

my control smart receiver suits Noosa no light 40/46"

205482

Noosa

my control smart receiver suits Noosa no light 52"

205483

Noosa

my control smart receiver suits Noosa no light 60"

205484

Noosa

my control smart receiver suits Noosa LED 40/46"

205485

Noosa

my control smart receiver suits Noosa LED 52"

205486

Noosa

my control smart receiver suits Noosa LED 60"

205638

Tourbillion

my control smart receiver suits Tourbillion 60"

205639

Tourbillion

my control smart receiver suits Tourbillion 80"

SMART USB MODULE

FAN RANGE

COMPATIBLE MODELS

205503

Surf

my control smart USB module - suits all Surf models



Fan



Light

40° ANGLE CANOPIES

1
YEAR
WARRANTY



20557501

ABS, UV resistant, matt white



20557502

ABS, UV resistant, matt black



20557504

ABS, UV resistant, titanium



20557512

ABS, UV resistant, oil rubbed bronze

Dimensions



	mm	inches
A	179	7.0
B	77	3.0

Inclusions



Includes both 21mm and 26mm collars to suit most rod sizes.

Note: Downrod not included.



Up to
40°



Up to
35kg



ANGLE CANOPY

40° matt white angle canopy attached to an 80" Tourbillion ceiling fan.

DOWNRODS

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.



Downrod	Colour	Length (mm)	Dia (Ø)
20518209	antique bronze	900	27
20518309	antique bronze	1800	22
20681202	black matt	450	22
20681302	black matt	600	22
202979	black matt	900	21
203631	black matt	900	27
204312	black matt	900	21
204347	black matt	900	27
20522302	black matt	900	22
20581202	black matt	900	22
202977	black matt	1800	21
203632	black matt	1800	21
204314	black matt	1800	27
204349	black matt	1800	27
20522402	black matt	1800	22
20581302	black matt	1800	22
20518211	brushed brass matt	900	21
20518311	brushed brass matt	1800	27
20523212	oil rubbed bronze	900	21
20523312	oil rubbed bronze	1800	27
203239	satin nickel	900	22
20518208	satin nickel	900	21
202976	satin nickel	1800	27
20518308	satin nickel	1800	21
204744	titanium	900	27
204751	titanium	900	21
20522304	titanium	900	27
204745	titanium	1800	21
204752	titanium	1800	22
20522404	titanium	1800	27
20681201	white matt	450	22
20681301	white matt	600	22
203376	white matt	900	21
203628	white matt	900	22
204311	white matt	900	27
204346	white matt	900	21
20522301	white matt	900	27
20581201	white matt	900	22
203375	white matt	1800	27
203629	white matt	1800	21
204313	white matt	1800	21
20522401	white matt	1800	21
204348	white matt	1800	21
20581301	white matt	1800	22

BONDI

CABARITA

ILUKA

NOOSA


STRADBROKE

SURF

TORQUAY

TOURBILLION

WAIKIKI




BATHROOM EXHAUST

When it comes to selecting between bathroom exhaust options, our models vary in exhaust motor & ducting outlet sizes to suit your application. This means that you can choose a model that suits the heating and extraction requirements depending on the size of your bathroom.

It is recommended to have 15 air changes per hours for bathrooms, and 10 air changes per hour for water closets. Based on this recommendation, the following table can act as a guide in deciding which bathroom 3-in-1 will work best for your project.



Sizes For All Rooms



Model	Airflow	Toilet Size (m ³)	Room Size (m ³)	Bathroom Size (L x W x H)
Vesuvius 2 Heat	260m ³ /hr	26m ³	17.33m ³	2.75 x 2.75 x 2.4
Vesuvius 4 Heat	260m ³ /hr	26m ³	17.33m ³	2.75 x 2.75 x 2.4
Heatflow 2 Heat	460m ³ /hr	46m ³	30.66m ³	3.6 x 3.6 x 2.4
Heatflow 4 Heat	460m ³ /hr	46m ³	30.66m ³	3.6 x 3.6 x 2.4
Inferno	550m ³ /hr	55m ³	30.66m ³	4.0 x 4.0 x 2.4



HEATFLOW

4 heat/ exhaust/ light in white finish.



VESUVIUS

2 Heat/Exhaust/Light

3
YEAR
WARRANTY



204152

Housing
plastic, white



25 W



Ø 100 mm
1.5 m



260 m³/h



Included




3000K
R80



390 x 220
Cut Out

Dimensions



	mm	inches
A	440	17.3
B	241	9.5
C	174	6.9

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

VESUVIUS

4 Heat/Exhaust/Light

3
YEAR
WARRANTY



204153

Housing

plastic, white



25 W



4x 275W



Ø 100 mm
1.5 m



260 m³/h



Included




3000K
R80



300 × 300
Cut Out

Dimensions



	mm	inches
A	398	15.7
B	232	9.1
C	168	6.6

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	25	260	10.4

HEATFLOW

2 Heat/Exhaust/Light

3
YEAR
WARRANTY

204154

Housing
plastic, white



204155

Housing
plastic, black matt



40 W



2x 275W



DUCT INCLUDED

Ø 120 mm
3.0 m



AIRFLOW

460 m³/h



WALL SWITCH

Included



13W




neutral WHITE

950lm



430 x 250
Cut Out

Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

HEATFLOW

4 Heat/Exhaust/Light

3
YEAR
WARRANTY

204156

Housing
plastic white



204157

Housing
plastic, black matt



40 W



4x 275W



Ø 120 mm
3.0 m



460 m³/h



Included



13W




950lm



430 x 270
Cut Out

Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	40	460	11.5

INFERNO

HALOGEN HEAT/EXHAUST/LIGHT

3
YEAR
WARRANTY



204158

Housing
plastic, white

204159

Housing
plastic, black matt



55 W



R7S



Halogen
1000W



Ø 150 mm
3.0 m



550 m³/h



Included



4x 5W
GU10




4 x 400lm



470 x 315
Cut Out

Dimensions



	mm	inches
A	500	19.7
B	213	8.4
C	206	8.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

Airflow

Speed	max. Watts	m ³ /h	m ³ /h/W
1	55	550	10



INFERNO

Halogen heat/ exhaust/ light in black matt finish.



PIKTOGRAM

LIGHT COLOUR & LUMEN

The colours of the LED are represented as pictogrammes (see below), their luminous flux directly beneath. The luminous flux is quoted in lumen and describes the amount of light generated by the LED. The higher the value, the brighter is the lamp.



tri colour



tunable white



LED light source



cool white



neutral white



warm white

FUNCTIONS & COMFORT



airflow



ABS non rust construction



E27 light source



batteries included



motor type - AC motor



2 x 275W E27 R125 heat lamp



cut out (in mm)



motor type - DC motor



4 x 275W E27 R125 heat lamps



dimmable



timer function



R7S type halogen heat lamp



not dimmable



natural breeze



1000W halogen heat lamp



duct included



quick connect



4 x GU10 type LED globes, max 5W



remote control included



replaceable LED board



6 year product / 3 year in-home warranty



adaptable for remote control



step dimming



5 year in-home warranty



indoor and covered outdoor use



suitable for sloped ceilings up to specified ° angle



3 year in-home warranty



fan direction reversible



suits low ceilings



1 year in-home warranty



light adaptable



wall switch included



UV resistant ABS blades



pull cord included



All EGLO ceiling fans are covered by a comprehensive 6-year warranty. 3 years in-home warranty protection, plus an additional 3 year motor warranty.

INDEX

Item number	Page	Item number	Page	Item number	Page	Item number	Page	Item number	Page
202964	133	204233	88	20490902	36	20522901	63	20538302	104
202966	137	204351	91	20490904	36	20522902	63	20538315	104
202969	76	204352	91	20491201	42	20522912	63	20538401	107
202971	76	204353	93	20491202	42	20523101	64	20538402	107
202972	80	204354	93	20491204	42	20523102	64	20538415	107
202973	80	204739	47	20491401	35	20523112	64	20538501	108
203367	133	204741	48	20491402	35	20523401	111	20538502	108
203368	137	204742	51	20491404	35	20523402	111	20538515	108
203369	75	204743	52	20491501	41	20523405	113	20549601	11
203371	75	204746	75	20491502	41	20523406	113	20549602	11
203372	79	204747	76	20491504	41	20523501	119	20549616	23
203373	79	204748	79	20491601	38	20523502	119	20549617	23
203619	47	204749	80	20491602	38	20523505	121	20549701	12
203621	47	204781	67	20491604	38	20523506	121	20549702	12
203622	48	204782	67	20491701	44	20523601	114	20549716	24
203624	51	204783	67	20491701	44	20523602	114	20549717	24
203625	51	204787	68	20491702	44	20523605	116	20549801	15
203626	52	204788	68	20518101	127	20523606	116	20549802	15
203627	52	204789	68	20518102	127	20523701	122	20549816	27
204112	83	204794	71	20518108	129	20523702	122	20549817	27
204113	83	204795	71	20518109	129	20523705	124	20549901	16
204114	83	204796	71	20518111	129	20523706	124	20549902	16
204115	84	204801	72	20518401	130	20533701	95	20549916	28
204116	84	204802	72	20518408	130	20533702	95	20549917	28
204117	84	204803	72	20518409	130	20533715	95	20550101	19
204152	150	204807	135	20518411	130	20537801	96	20550102	19
204153	151	204808	139	20522501	55	20537802	96	20550116	31
204154	152	205127	142	20522502	55	20537815	96	20550117	31
204155	152	205222	142	20522512	55	20537901	99	20550201	20
204156	153	205563	140	20522601	56	20537902	99	20550202	20
204157	153	205564	140	20522602	56	20537915	99	20550216	32
204158	154	205565	140	20522612	56	20538101	100	20550217	32
204159	154	206183	135	20522701	59	20538102	100	20557501	144
204227	87	206184	139	20522702	59	20538115	100	20557502	144
204227	87	206185	140	20522712	59	20538201	103	20557504	144
204229	87	206323	48	20522801	60	20538202	103	20557512	144
204231	88	20418402	130	20522802	60	20538215	103		
204232	88	20490901	36	20522812	60	20538301	104		

MEMO

A large grid of graph paper, consisting of 20 columns and 30 rows of small squares, intended for writing a memo.

MEMO

A large grid of graph paper for taking notes, consisting of 20 columns and 30 rows of small squares.

All previous catalogues and price lists are no longer valid with the issue of this catalogue. Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment. Products with additional safety remarks (e.g. protection class, IP) are identified within the product family with the relevant symbol and number. The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH. All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.

The product pictures and ambiences in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product. EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition: EGLO GmbH, Shontel, EGLO Lighting Australia Pty Ltd, Brisbane, AUSTRALIA

Pictures: EGLO, fotolia.com, istockphoto.com, Adobe Stock

July 2023



EGLO
my light | my style

EGLO LIGHTING AUSTRALIA
5/339 Archerfield Road,
Richlands, QLD, 4077
Tel: 07 3375 1413
info@eglolighting.com.au
www.eglo.com.au

my light | my style

